State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application 12 2014

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

more duploxed to regulated affact	di. 111. 011, 1110. 7 dili. 0000. 000	1417 01 1.01, 1113. 7 am. Occo for applicability	ty requirements.	
Applicant Information	o ting grandskim fra flygger stjerte det. Austria		Carliffe (1951) (1951) (1954) (1994) (1954) (1954) Carliffe (1954) (1954) (1954) (1954) (1954) (1954)	gagagas
Application Prepared By (Name	and Title)	Company		
John Herman	Design + Sale	es Roberts Irr.	Co. Inc.	
Street Address		City	State ZIP Code	-
P.O. Box	: 490	Plover	WI 54467	Z
Telephone Number	Fax Number	E-Mail Address .		
		4		
Property Ownership Informa	tion	ar delle desemble delle de All delle		258/456 And 1468
Property owner, if different than a	pplicant (Name of Person and Title	e) Company		230160
Winding Cree	h Acres, Inc			5/1
Street Address	1	City	State ZIP Code	
W449 Hwx	X	Inde pendence	WI 5474	7 6269
Telephone Number	Fax Number	E-Mail Address	@ Riverland.	San
608 - 723 - 73	607	Guenther	@ Riverland.	org
Well Operator Information	CANNAGENYA-1966 (KERATA MENERATA KANTON YALIM KENDANTAN MENERATAN			
Well operator if different than owner	er (Name of Person and Title)	Company	3	• • • • • • • • • • • • • • • • • • • •
Same				
Street Address		City	State ZIP Code	
Telephone Number	Fax Number	E-Mail Address		
Property Information	લ્લે જ સંક્રિકેપુર પેલ્સ્ટ્રેક્ટ્રિકેપુર સ્ટારેક્ટ્રેક્ટ્રેસ જો જેવાના છે. - જોલેલ્લે જિલ્લો પ્રાથમિક જોઈ સ્ટારેક્ટ્રેક્ટ્રેક્ટ્રેસ સ્ટારેક્ટ્રેક્ટ્રેસ સ્ટારેક્ટ્રેક્ટ્રેસ સ્ટારેક્ટ્રેક્	a tani katan ing mga katan ing katangan ing katangan ing katangan ing katangan ing katangan ing katangan ing k Manangan Salah ing katangan ing	taidas elektristendak alban oleh oleh Austria	Maria de la compansión
		ly a high capacity property. If the property i		
		umber in upper right hand corner of the most s and pump installers. On the compact disl		
		nty) - (1 digit for well classification) - (1 to 4		0.).
County	Town // /	High Capacit	y Well File No.	
Trempealean	Hale		STINING IT I STILL U.	
		in entropy magnetic of the track of the contract of the long can be decreased in the state of the contract of	indiga katemati si kata kati kati kati mpilinga kata kati kati kati kati kati	<u> </u>
Check all that apply:				
Install one or more new wells				
T		llons per minute on a high capacity pro	operty.	
7	rith a capacity greater than 70 ga			
-	THE RESIDENCE OF SECURIOR AND AND AND AND ADDRESS OF THE SECURIOR ADDR	ns per minute on a high capacity prope	erty.	
1	ls with a capacity greater than 70			
Reconstruct one or more well	s with a capacity less than 70 ga	allons per minute on a high capacity p	roperty.	record and and
Increase pumping rate in one	or more wells to a rate greater t	han previously approved.		2.8
		ange in ownership. (No application fe	e required.)	erid valu
Renew a previous approval th	*	VENTAGE		horas de la composition della
Well (or wells) will serve a sch	nool or wastewater treatment pla	int. See definitions on page 5.		
Other evoluin				

		tus Information .	
and t	he ir	ne the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each llowing questions.	
YES	МО	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.	
	d	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:	
	Ø	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:	
	d	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.	
	4	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.	***
		If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)	
		Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:	
	<u>-</u> 2	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:	<i>i</i> .
	ŗ	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts. If YES, list the BRRTS Number here:	
] [s	is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5a.	
	b)	s a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.	
		las the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?	
JE) H	las the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high approval of the property is not yet a high approval.	1 683
	Is	s a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?	
	W.	Vill the well discharge directly to a storage pond?	
] 🖪	İs	a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?	
	İs	a proposed well within 1,200 feet of a quarry?	. ;
] 0		a proposed well located in a floodplain or floodway?	
	Are Adı	re any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Iministrative Code?	ेश्वरम्बद्धाः इत्तरम्बद्धाः
10	Wil	ill the well be used as a source of bottled water?	
IZ	Are	e you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well as the struction standards?	i de de de de de de de de de de de de de
1 1	ls t	the property served by a community water system?	

Enter the following information	n on	all exis	ting	wells o	n the	property	, if m	ore tha	n four	wells, st	ubmit ac	dition	nal sheets:		
Well Name Assigned by Well Ow (North Well, etc.):	ner		ne												
Well Number Assigned by Owner (001, 002, etc.):										·					
WI Unique Well Number or NA if a number:	10														
Permanent DNR High Capacity W Number or N/A if none:	ell														
Public Water System ID Number, Public (if not public, NONE):	f											··			-
Potable or Non-Potable Use:								·							7
Type of Well (Irrigation, Industrial, Residential, etc.):										-				i i	
Requested Average Water Usage Day in Gallons:	per						····			· · · · · · · · · · · · · · · · · · ·	· ·		1	·	
Requested Maximum Water Usage per Day in Gallons:												·			
Seasonal? (April to October, Year Around, etc.):						· · ·						,		1 11	
Approved Pumping Capacity if Previously Approved (gpm):							*								
Current Pump Type & Capacity (gpr	n):					•		٠.				····			
Proposed Pump Type & Capacity If Change Requested (gpm):											<u> </u>	······································			
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):															
Discharge Location (Building Pressu Tank, Pond, etc.):	re														_
Height of Well Casing Above Ground in Inches:							**********					,			-
Potential Contaminant Sources and Distance:					1			,							
Well Loc: Quarter Quarter Tection		1/-	1 of	1	/4	1/	4 of	1	14	. 1/4	of :	1/4	1/4	of 1/	 '4
or Government Lot Number					\bot									-	
Section or French Long Lot No.															_
Township:	7	s :::12		N	Ţ			~ N	Т		-	N	r	N	_
Range (Select E or W):	R			le 🗋	W R			EI	Y R		[]E	Jw	R	- []E []v	 V
Latitude (Degrees and Minutes)		0			<u>.ll_</u>	. 0		- 2000 -	1/2	. ,		,	0`-		-
Longitude (Degrees and Minutes)	<u> </u>	o	<u></u>							٥	-:	- 1	. 0		-
GPS Map Datum (WGS84, WTM91, etc.) clude as much of the following inform	ation	as prac	ical fo	or wells	Ihat	do not hav	e wel	constru	clion re	cords an		iba a	malic		-
ell construction record is attached, and ate of Construction:	plicar	nt may le	ave t	he follo	wing	rows blank	ζ.		1				- A CAUDITY - 10	A	~
illed by (Name of Drilling Firm):					-	·					-:-				•
illing Method(s) (Rotary, Percussion, Etc.)					+				1	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>					•
ell Depth in Feet:		······································			\dagger	1 11	• • •					\dashv	· · · · · · · · · · · · · · · · · · ·		• .
per Enlarged Drillhole Diameter in Inches and Depth in Feet:		inches,		feet	1	inches,	. :	feet		nches,		eet	inches,	fant	,
wer Drillhole Diameter in Inches and Depth in Feet:		nches,		feet		Inches,		feet		nches,		eet	inches,	feet	
I Casing Diameter in Inches and Depth in Feet		nches,	sa sa sa sa	F 47 1, -	Segreta	inches,	e son		-ફ્રાપ્ટમ્ફ્ર ભીતુ	nches,		eel	inches,	feet feet	ng r Russ
II Casing Material and Wall Thickness:	<u>, , , , , , , , , , , , , , , , , , , </u>			,,,,,,		A. O. 1000		1001				36(mones,		
ular Space Material Between	建设 加	tAlkkleh i	in in		ing.	hadear-sar	nii inii	in the							
here a Well Screen (Y or N) If so, creen Material?:	در دچائور	or in the contract of			1	20 - 1,5-4						十	 		,

3

Proposed Well Information	all proposed wells on the property,	if more than two we	lis or alternate constr			eets:
Water Control of the		. L ./	1	<u> </u>		
Weil Name Assigned by Weil Owner (North Weil, etc.):	Cty Rd. E	Well col				
Well Number Assigned by Owner (001, 002, etc.):	001					· · · · · · · · · · · · · · · · · · ·
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of SW 1/4 0	of Section 26	1/4 of	1/4 0	f Section	
or Government Lot Number			_			П.,,
Township & Range (Select E or W		□E 🕅 W		N, R	<u> </u> E	<u> </u>
Latitude (Degrees and Minutes)	44 0 26	2. 76.06	0		<u>'</u>	<u>'</u>
Longitude (Degrees and Minutes)		:58.31	0		·	
GPS Map Datum (WGS84, WTM91, etc.)	Google Eart				Potabi	
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Irrigation	Potable Non-Potable	Туре:		Non-P	
Orilling Method(s) (Rotary,	Qual Reverse	Rotory				
Anticipated Geological Materials and	Depths that Are Expected During Dril	lling: '				· · · · · · · · · · · · · · · · · · ·
Material and Depth Interval:	Sand + Clay from	0' to 90		from	0' to	
Material and Depth Interval:		90' to 350		from	' to	
Material and Depth Interval:	from	' to		from	' to	
Material and Depth Interval:	from	' to ,		from	' to	
Material and Depth Interval:		' to '		from	' to	
Prilihole Diameter and Anticipated De	from th Intervals:	, C				
Diameter and Depth Interval:		0 to 350		from	' to	,
Diameter and Depth Interval:	from	to		from	' to	
Diameter and Depth Interval:	from	' to '		from	' to	•
ermanent Casing or Liner Diameter a	and Wall Thickness at Anticipated De					
Diameter and Wall Thickness	1 ,	0' to 100 ·	" diam/	" thick	0 ' to	,
at Depth Interval: Diameter and Wall Thickness	6 " diam/ . 3 75" thick				' to	,
at Depth Interval:	" diam/ " thick	, to	" diam/	" thick		
ermanent Casing or Liner Material , I Casing Joints (Welded, T and C,						
etc.)	welded			···		
Material and Weight at Depth Interval:	/ lbs/foot	0 ' fo '		tbs/foot	0' to	
Material and Weight		' to '	-1	lbs/foot	' to	,
at Depth Interval:	/ Ibs/foot					
reen Material, Slot Size in Inches and Depth Interval or N/A if none:	/	' to'		<u>' '/</u>	' to	
Casing to Screen Joint (Welded, T						
and C, K Packer, etc.) Inular Space Material Including Filter	Pack Material, If Used:					
Material and Depth Interval:	Bentonite 1	0' to 90 '		1	0' to	ı
Material and Depth Interval:	1	' to		1	' to	
pposed Average Water Usage Per	728,000					
posed Maximum Water Usage Per Day in Gallons:	1,440,000					
asonal? (April to October, Year Around, etc.):	APr Oct.			· ·		
posed Pump Type & Capacity gpm):	Turbine 100	o alm				
charge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	over the top	יט				
charge Location (Building Pressure ank, Pond, etc.):	Issi pation p	DiDe	saar Mikhayaa ja ta saara saasa Africa saasa	ales a l'inquistra pro-	Section 1989	
ank, Pord, etc.) ance and Direction to Nearest Public Utility Well & Well Name:	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 mi Sw				
ance to Other Potential		and the product of the state of				<u>ulitá</u> ,
ance to Other Potential ontaminant Sources:						
o Plank for Donardmont use only		ì				

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	.0 _	Check Box	
John Herman	KICI	Owner	Agent of the Owner
Signature	Company Roberts	Irr Co.	Frc. 5/7/14
Application submittal. Mail completed applicati Section - DG/2, PO Box 7921, Madison WI 53	ion and payment with all requ 707-7921.	ired attachments to DI	NR, Private Water Systems

Definitions from Wisconsin Administrative Codes

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]


"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

Hale (NW) Trempealeau Co, WI T.23N.R.8W.





Trempealeau County 4-H is 100 certified adult volunteers and 420 young people through the year Kindergarten through the year after high school involved in a youth centered, family involved learn-by-doing program. Projects are chosen by each member in areas of special interest and pursued either individually or with other 4-H members with the help of adult volunteers known as Project leaders. Projects include horses, archery, foods, clothing, computers, dairy, woodworking, electricity, dog obedience, cats, photography, and many others.